

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1870	(fax or facsimile) and ((record\$5 or print\$5) near2 (fail\$5 or inoperative or inoperable or incapable or impossible))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 09:40
L2	134	(fax or facsimile) and (((record\$5 or print\$5) near2 (fail\$5 or inoperative or inoperable or incapable or impossible)) same (reception or receiving or incoming))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 09:42
L3	73	2 and ((operat\$5 near2 (key or keypad)) or (key or keypad) or (input\$5 adj2 (unit or section)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 09:46
L4	4	3 and ((memory or storage) near3 (full))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 09:49
L5	8	3 and ((memory or storage) near3 (full or exhaust\$5 or free))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 09:51
L6	16	3 and ((clos\$5 or shut\$5 or disconnect\$5 or terminat\$5) near3 line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 09:58

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1870	(fax or facsimile) and ((record\$5 or print\$5) near2 (fail\$5 or inoperative or inoperable or incapable or impossible))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 09:40
L2	134	(fax or facsimile) and (((record\$5 or print\$5) near2 (fail\$5 or inoperative or inoperable or incapable or impossible)) same (reception or receiving or incoming))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 11:01
L3	73	2 and ((operat\$5 near2 (key or keypad)) or (key or keypad) or (input\$5 adj2 (unit or section)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 09:46
L4	4	3 and ((memory or storage) near3 (full))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 09:49
L5	8	3 and ((memory or storage) near3 (full or exhaust\$5 or free))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 09:51
L6	16	3 and ((clos\$5 or shut\$5 or disconnect\$5 or terminat\$5) near3 line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 10:24
L10	17	2 and ((clos\$5 or shut\$5 or disconnect\$5 or terminat\$5) near3 line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 11:01
L21	7	2 and (((clos\$5 or shut\$5 or disconnect\$5 or terminat\$5) near3 line) with (set\$5 or mode))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 11:07
L22	2	2 and (((clos\$5 or shut\$5 or disconnect\$5 or terminat\$5) near3 line) with (set\$5 or mode)) same fail\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 11:08
L23	2	1 and (((clos\$5 or shut\$5 or disconnect\$5 or terminat\$5) near3 line) with (set\$5 or mode)) same fail\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 11:09
L24	27	(fax or facsimile) and (((clos\$5 or shut\$5 or disconnect\$5 or terminat\$5) near3 line) with (set\$5 or mode)) same fail\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 11:12

L25	16	(fax or facsimile) and (((clos\$5 or shut\$5 or disconnect\$5 or terminat\$5) near3 line) with (setting or mode)) same fail\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 11:13
L26	3	(fax or facsimile) and (((clos\$5 or shut\$5 or disconnect\$5 or terminat\$5) near3 line) with (setting)) same fail\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 11:15
L27	117	(fax or facsimile) and (((clos\$5 or shut\$5 or disconnect\$5 or terminat\$5) near3 line) with (setting))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 11:15
L28	17	27 and (fail\$5 same (paper or toner or drum or memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 11:16

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L39	149	((fax or facsimile) near6 (fail\$5)) same (paper or toner or drum or memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 13:08
L40	3	39 and ((display) with (function near3 capab\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 12:48
L41	11	39 and ((display or inform\$3) with (capab\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 12:55
L42	55	39 and ((display or inform\$3) with (capab\$6 or feature or telephone or transmi\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 13:02
L43	10	39 and ((display or inform\$3) with (feature or telephone or transmi\$6 or mode or function) with (possib\$5 or able or abilit\$5 or capab\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 13:06
L44	12	39 and ((display\$5 or inform\$3) with (feature or telephone or transmi\$6 or mode or function) with (possib\$5 or able or abilit\$5 or capab\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 13:11
L45	6034	((fax or facsimile or communication).ab. and ((fail\$5) same (paper or toner or drum or memory)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 13:08
L47	288	45 and ((display\$5 or inform\$3) with (feature or telephone or transmi\$6 or mode or function) with (possib\$5 or able or abilit\$5 or capab\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 13:14
L48	34	47 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 13:12
L49	67	45 and ((display\$5 or inform\$3) with user with (feature or telephone or transmi\$6 or mode or function) with (possib\$5 or able or abilit\$5 or capab\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 13:18

L50	1303	(fax or facsimile or communication). ab. and ((display\$5 or inform\$3) with user with (feature or telephone or transmi\$6 or mode or function) with (possib\$5 or able or abilit\$5 or capab\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 13:31
L51	418	50 and ((fail\$5 or malfunction\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 13:22
L52	41	51 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 13:23
L53	167	50 and ((fail\$5 or malfunction\$5 or incapab\$5 or unable) with (recept\$5 or receiv\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 13:33
L54	21	53 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 13:23
L55	2958	(fax or facsimile or communication). ab. and ((display\$5 or inform\$3 or output\$5) with (feature or function) with (possib\$5 or able or abilit\$5 or capab\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 13:37
L56	236	55 and ((fail\$5 or malfunction\$5) same (paper or toner or drum or memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 13:34
L57	19	56 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 13:35
L58	10	(fax or facsimile or communication). ab. and ((display adj3 unit) near4 (feature or function) near4 (possib\$5 or able or abilit\$5 or capab\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 13:40
L59	3	(fax or facsimile or communication). ab. and (((display\$3) near4 (feature or function) near4 (possib\$5 or able or abilit\$5 or capab\$6)) same (fail\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 13:43
L60	17	(fax or facsimile or communication). ab. and (((display\$3 or inform\$5 or warn\$5) near4 (feature or function) near4 (possib\$5 or able or abilit\$5 or capab\$6)) same (fail\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 13:47

L61	273	(fax or facsimile or communication).ab. and (((display\$3 or inform\$5 or warn\$5) near4 (feature or function) near4 (possib\$5 or able or abilit\$5 or capab\$6)) and (fail\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 13:55
L62	17	61 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 13:49
L63	1	(fax or facsimile).ab. and (((display\$3 or inform\$5 or warn\$5) near4 (feature or function) near4 (possib\$5 or able or abilit\$5 or capab\$6)) same (fail\$5) same (telephone) same transmi\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 13:57
L64	30	(fax or facsimile).ab. and (((display\$3 or inform\$5 or warn\$5) near4 (feature or function) near4 (possib\$5 or able or abilit\$5 or capab\$6)) same (telephone or transmission))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 14:00
L65	26	(fax or facsimile).ab. and (((display\$3 or inform\$5 or show\$5 or warn\$5) near4 (feature or function or telephone or transmi\$5) near4 (possib\$5 or able or abilit\$5 or capab\$6)) same (fail\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 14:04
L66	29	(fax or facsimile).ab. and (((display\$3 or inform\$5 or show\$5 or warn\$5 or lcd or screen or monitor) near4 (feature or function or telephone or transmi\$5) near4 (possib\$5 or able or abilit\$5 or capab\$6))) and (fail\$5 same (paper or sheet or toner or (memory near3 (full or exhaust\$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 14:13

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L67	39643	((fax or facsimile) same telephone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 14:22
L68	489	67 and ((fail\$5) same (paper or toner or drum or (memory near3 (full or exhaust\$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 14:26
L69	429	68 and ((display\$4 or screen or monitor or lcd))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 14:27
L70	173	69 and ((function or feature) near3 (possible or capab\$5 or able))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 14:34
L71	117	69 and (((function or feature) near3 (possible or capab\$5 or able)) same (telephone or transmi\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 14:46
L79	102	69 and (((function or feature) near3 (possible or capab\$5 or able) near3 (user or used or usable)) same (telephone or transmi\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 14:49
L80	227	(fax or facsimile) and (((function or feature) near3 (possible or capab\$5 or able) near3 (user or used or usable)) same (telephone or transmi\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 14:51
L81	10	80 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 14:49
L82	6	(fax or facsimile) and (((function or feature) near3 (possible or capab\$5 or able) near3 (user or used or usable) near3 (display\$5 or show\$5 or monitor or lcd or screen)) same (telephone or transmi\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 14:54
L83	181	(fax or facsimile) and (((possible or capab\$6 or able) near3 (user or used or usable) near3 (display\$5 or show\$5 or monitor or lcd or screen)) same (telephone or transmi\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 15:00

L84	30	83 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 14:57
L85	858	(fax or facsimile) near6 (fail\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 15:00
L86	0	85 and (((telephone) near3 (using or operable or usable) near4 (display\$5 or inform\$5)) same (fail\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 15:05
L87	42	85 and (((telephone) near5 (display\$5 or inform\$5)) same (fail\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 15:11
L89	0	85 and (((telephone) near5 mode near4 (display\$5 or inform\$5)) same (fail\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 15:12
L90	14	85 and (((telephone) near5 mode) same (fail\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 15:15
L91	5	85 and (((display\$5 or show\$5 or inform\$5) near5 mode) same (fail\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 15:21
L92	43	85 and (((display\$5 or show\$5 or inform\$5) near5 (mode or function)) same (fail\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 15:28
L93	2	85 and (((display\$5 or show\$5 or inform\$5) near5 (mode or function) near6 (usable or operational or used or capab\$6)) same (fail\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 15:27
L94	154	murata.as. and ((display) near6 (function))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 15:29
L95	3	murata.as. and ((display) near6 (function) near6 capab\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 15:29

L96	5	murata.as. and ((display\$5) near6 (function) near6 capab\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 15:30
L97	13	murata.as. and ((inform\$5) near6 (function) near6 capab\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 15:30

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L101	8705	(fax or facsimile) and (display near3 unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 16:03
L102	204	101 and (fail\$5 with (paper or sheet or toner or drum or (memory near3 (full or exhaust\$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 16:04
L103	71	102 and ((display\$5 or inform\$3) near6 (function or feature))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 16:33
L104	13	103 and (((function or feature) near6 (telephon\$5 or phon\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 16:44
L105	25	103 and (((function or feature) near6 (telephon\$5 or phon\$3 or transmi\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 16:45
L106	2	103 and (((function or feature) near6 (telephon\$5 or phon\$3 or transmi\$6)) with fail\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 16:46
L107	4	103 and (((function or feature) near6 (telephon\$5 or phon\$3 or transmi\$6)) same fail\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 16:54
L108	17	102 and (speaker)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 16:54
L110	20	101 and ((sound or music or melody or tune) near6 ((clos\$5 or disconnect\$5) near2 line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 16:57